

RUN DATE: 08/25/15  
 RUN TIME: 1416  
 RUN USER: GALS

Southwestern Vermont Medical Center Clinical Laboratory  
 100 Hospital Drive East, Bennington, VT 05201  
 phone: (802) 447-5340 fax: (802) 447-5338  
 Specimen Inquiry

PATIENT: [REDACTED] ACCT #: [REDACTED] 2E U #: [REDACTED]  
 REG DR: [REDACTED] AGE/SX: [REDACTED] ROOM: 210E REG: [REDACTED]  
 STATUS: DIS IN BED: A DIS: 04/03/15

SPEC #: [REDACTED] COLL: 04/02/15-2142 STATUS: COMP REQ #: [REDACTED]  
 RECD: 04/02/15-2146 SUBM DR: ER Per Protocol  
 ENTR: 04/02/15-2133  
 OTHR DR: Herman, David MD  
 Yucht, Jeffery A MD  
 ORDERED: CMP, AMY, LIP, HCGR

Test	Result	Flag	Reference	Verified
<i>CMP</i>				
> GLUCOSE	121	H	70-99 mg/dL	04/02/15-2209
<i>NOTE: Reference range has changed to reflect ADA guidelines.</i>				
> BUN	14		7-17 mg/dL	04/02/15-2209
> CREATININE	0.7		0.5-1.0 mg/dL	04/02/15-2209
> NA	138		137-145 mmol/L	04/02/15-2209
> POTASSIUM	3.8		3.5-5.1 mmol/L	04/02/15-2209
> CHLORIDE	98		98-107 mmol/L	04/02/15-2209
> CO2	30		22-30 mmol/L	04/02/15-2209
> CALCIUM	9.0		8.4-10.2 mg/dL	04/02/15-2209
> CORRECTED CA	8.6		8.4-10.2 mg/dL	04/02/15-2209
<i>CALCIUM CORRECTED AS IF ALBUMIN WERE</i>				
> TOTAL PROTEIN	7.2		4.0 gm/dL 6.3-8.2 gm/dL	04/02/15-2209
> ALBUMIN	4.4		3.5-5.0 gm/dL	04/02/15-2209
> BILI, TOTAL	0.4		0.2-1.3 mg/dL	04/02/15-2209
> AST (SGOT)	21		14-36 IU/L	04/02/15-2209
> ALT (SGPT)	30		9-52 IU/L	04/02/15-2209
> AP (ALK PHOS)	88		38-126 IU/L	04/02/15-2209
> ANION GAP	10		4-16 mmol/L	04/02/15-2209
> BUN/CRE RATIO	20.0			04/02/15-2209
> A/G RATIO	1.5			04/02/15-2209
> AMYLASE	53		30-110 U/L	04/02/15-2209
> LIPASE	105		23-300 U/L	04/02/15-2209
> HCG QUAL, SERUM	NEGATIVE			04/02/15-2215

\*\* END OF REPORT \*\*